



KANO LABORATORIES LLC

E-COMMERCE PRICE LIST

Pricing effective on all orders placed for shipment after December 31, 2023
See Page 10 for Terms and Conditions

QMF Rev 9/12/20

Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

SYNTHETIC GREASES

Multi-Purpose Synthetic Grease with Syncolon® - Food Grade - NSF Rated H1

Super Lube® Multi-Purpose Synthetic Grease (NLGI 2) with Syncolon®

82340	1 cc. Packet	5000	0 82353-82340 6	21 Lb.	14	13.75	7.38	0.82
21006	6 cc. Syringe	12	0 82353-21006 0	1 Lb.	2.75	5.75	7	0.06
21010	1/2 oz. Tube Blistered	12	0 82353-21010 7	1 Lb.	4.25	4.5	8.88	0.10
21014	1/2 oz. Tube Bulk	400	0 82353-21014 5	14 Lb.	10.13	13.44	9.13	0.72
21020	1 oz. Bellow - Blistered	6	0 82353-21020 6	1 Lb.	4.25	4.5	8.88	0.10
21030	3 oz. Tube	12	0 82353-21030 5	3 Lbs.	4.5	5.63	7.38	0.11
21036	3 oz. Cartridge	12	0 82353-21036 7	3 Lbs.	4.5	5.63	7.38	0.11
41150	14.1 oz. (400 gram) Cartridge	12	0 82353-41150 4	13 Lb.	8	9.63	10.25	0.46
41160	14.1 oz. (400 gram) Canister	12	0 82353-41160 3	13 Lb.	12.75	8.75	8.5	0.55
41580	450 ml. Bellows Cartridge	12	0 82353 41580 9	13 Lb.	7.5	11	9.25	0.44
41050	5 lb. Pail	4	0 82353-41050 7	25 Lb.	15.88	15.88	8.38	1.22
41030	30 lb. Pail	1	0 82353-41030 9	33 Lb.		12.13	14.88	0.99
41120	120 lb. Keg	1	0 82353-41120 7	131 Lb.		14.75	27	2.67
41140	400 lb. Drum	1	0 82353-41140 5	435 Lb.		24	35	9.16

Super Lube® Multi-Purpose Synthetic Grease (NLGI 1) with Syncolon®

41150/1	14.1 oz. (400 gram) Cartridge	12	0 82353-41151 1	13 Lb.	8	9.63	10.25	0.46
41160/1	14.1 oz. (400 gram) Canister	12	0 82353-41161 0	13 Lb.	12.75	8.75	8.5	0.55
41580/1	450 ml. Bellows Cartridge	12	0 82353 41581 6	13 Lb.	7.5	11	9.25	0.44
41050/1	5 lb. Pail	4	0 82353-41051 4	25 Lb.	15.88	15.88	8.38	1.22
41030/1	30 lb. Pail	1	0 82353-41031 6	33 Lb.		12.13	14.88	0.99
41120/1	120 lb. Keg	1	0 82353-41121 4	131 Lb.		14.75	27	2.67
41140/1	400 lb. Drum	1	0 82353-41141 2	435 Lb.		24	35	9.16

Super Lube® Multi-Purpose Synthetic Grease (NLGI 0) with Syncolon®

41150/0	14.1 oz. (400 gram) Cartridge	12	0 82353-41972 2	13 Lb.	8	9.63	10.25	0.46
41160/0	14.1 oz. (400 gram) Canister	12	0 82353-41963 0	13 Lb.	12.75	8.75	8.5	0.55
41580/0	450 ml. Bellows Cartridge	12	0 82353-41589 2	13 Lb.	7.5	11	9.25	0.44
41050/0	5 lb. Pail	4	0 82353-41984 5	25 Lb.	15.88	15.88	8.38	1.22
41030/0	30 lb. Pail	1	0 82353-41999 9	33 Lb.		12.13	14.88	0.99
41120/0	120 lb. Keg	1	0 82353-41979 1	131 Lb.		14.75	27	2.67
41140/0	400 lb. Drum	1	0 82353-41978 4	435 Lb.		24	35	9.16

Super Lube® Multi-Purpose Synthetic Grease (NLGI 00) with Syncolon®

82340/00	1 cc. Packet	5000	0 82353-82999 6	18 Lb.	14	14.25	8	0.92
41150/00	14.1 oz. (400 gram) Cartridge	12	0 82353-41971 5	13 Lb.	8	9.63	10.25	0.46
41160/00	14.1 oz. (400 gram) Canister	12	0 82353-41962 3	13 Lb.	12.75	8.75	8.5	0.55
41050/00	5 lb. Pail	4	0 82353-41983 8	25 Lb.	15.88	15.88	8.38	1.22
41030/00	30 lb. Pail	1	0 82353-41998 2	33 Lb.		12.13	14.88	0.99
41120/00	120 lb. Keg	1	0 82353-41980 7	131 Lb.		14.75	27	2.67
41140/00	400 lb. Drum	1	0 82353-41977 7	435 Lb.		24	35	9.16



KANO LABORATORIES LLC

E-COMMERCE PRICE LIST

Pricing effective on all orders placed for shipment after December 31, 2023

See Page 10 for Terms and Conditions

QMF Rev 9/12/20

Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

Super Lube® Multi-Purpose Synthetic Grease (NLGI 000) with Syncolon®

41150/000	14.1 oz. (400 gram) Cartridge	12	0 82353-41959 3	13 Lb.	8	9.63	10.25	0.46
41160/000	14.1 oz. (400 gram) Canister	12	0 82353-41960 9	13 Lb.	12.75	8.75	8.5	0.55
41050/000	5 lb. Pail	4	0 82353-41982 1	25 Lb.	15.88	15.88	8.38	1.22
41030/000	30 lb. Pail	1	0 82353-41996 8	33 Lb.		12.13	14.88	0.99
41120/000	120 lb. Keg	1	0 82353-41820 6	131 Lb.		14.75	27	2.67
41140/000	400 lb Drum	1	0 82353-41840 4	435 Lb.		24	35	9.16

Super Lube® Multi-Purpose Synthetic UV Grease (NLGI 2) with Syncolon®

41150/UV	14.1 oz. (400 gram) Cartridge	12	0 82353-41970 8	13 Lb.	8	9.63	10.25	0.46
41160/UV	14.1 oz. (400 gram) Canister	12	0 82353-41968 5	13 Lb.	12.75	8.75	8.5	0.55
41050/UV	5 lb. Pail	4	0 82353-41981 4	25 Lb.	15.88	15.88	8.38	1.22
41030/UV	30 lb. Pail	1	0 82353-41991 3	33 Lb.		12.13	14.88	0.99

High Temperature E.P. Grease with Syncolon® - Food Grade - NSF Rated H1

Super Lube® High Temperature E.P. Grease (NLGI 2) with Syncolon®

70006	6 cc. Syringe	12	0 82353-70006 6	1 Lb.	2.75	5.75	7	0.06
71150	14.1 oz. (400 gram) Cartridge	12	0 82353-71150 5	13 Lb.	8	9.63	10.25	0.46
71160	14.1 oz. (400 gram) Canister	12	0 82353-71160 4	13 Lb.	12.75	8.75	8.5	0.55
70050	5 lb. Pail	4	0 82353-70050 9	25 Lb.	15.88	15.88	8.38	1.22
70300	30 lb. Pail	1	0 82353-70300 5	33 Lb.		12.38	14.88	1.04
70120	120 lb. Keg	1	0 82353-70120 9	131 Lb.		14.75	27	2.67
70400	400 lb. Drum	1	0 82353-70400 2	435 Lb.		24	35	9.16

Nuclear Grade Approved Grease

Super Lube® Nuclear Grade Approved Grease

42150	14.1 oz. (400 gram) Cartridge	12	0 82353-42150 3	13 Lb.	8	9.63	10.25	0.46
42130	30 lb. Pail	1	0 82353-42130 5	33 Lb.		12.38	14.88	1.04
42140	400 lb. Drum	1	0 82353-42140 4	435 Lb.		24	35	9.16

SILICONE GREASES

Silicone Dielectric and Vacuum Grease - Food Grade - NSF Rated H1

Super Lube® Silicone Dielectric and Vacuum Grease

91003	3 oz. Tube	12	0 82353-91003 8	3 Lb.	4.5	5.63	7.38	0.11
91015	14.1 oz. (400 gram) Cartridge	12	0 82353-91015 1	13 Lb.	8	9.63	10.25	0.46
91016	14.1 oz. (400 gram) Canister	12	0 82353-91016 8	13 Lb.	12.75	8.75	8.5	0.55
91005	5 lb. Pail	4	0 82353-91005 2	25 Lb.	15.88	15.88	8.38	1.22
91030	30 lb. Pail	1	0 82353-91030 4	33 Lb.		12.38	14.88	1.04
91120	120 lb. Keg	1	0 82353-91120 2	131 Lb.		14.75	27	2.67
91400	400 lb. Drum	1	0 82353-91400 5	435 Lb.		24	35	9.16



KANO LABORATORIES LLC

E-COMMERCE PRICE LIST

Pricing effective on all orders placed for shipment after December 31, 2023
See Page 10 for Terms and Conditions

QMF Rev 9/12/20

Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

Super Lube® Silicone Dielectric and Vacuum UV Grease

91015/UV	14.1 oz. (400 gram) Cartridge	12	0 82353-91815 7	13 Lb.	8	9.63	10.25	0.46
91016/UV	14.1 oz. (400 gram) Canister	12	0 82353-91816 4	13 Lb.	12.75	8.75	8.5	0.55
91005/UV	5 lb. Pail	4	0 82353-91805 8	25 Lb.	15.88	15.88	8.38	1.22
91030/UV	30 lb. Pail	1	0 82353-91830 0	33 Lb.		12.38	14.88	1.04

Silicone Lubricating Grease with Syncolon® - Food Grade - NSF Rated H1

Super Lube® Silicone Lubricating Grease with Syncolon®

92000	1 cc. Packet	4000	0 82353-92000 6	16 Lb.	14	13.75	7.38	0.82
92003	3 oz. Tube	12	0 82353-92003 7	3 Lb.	4.5	5.63	7.38	0.11
92150	14.1 oz. (400 gram) Cartridge	12	0 82353-92150 8	13 Lb.	8	9.63	10.25	0.46
92016	14.1 oz. (400 gram) Canister	12	0 82353-92016 7	13 Lb.	12.75	8.75	8.5	0.55
92005	5 lb. Pail	4	0 82353-92005 1	25 Lb.	15.88	15.88	8.38	1.22
92030	30 lb. Pail	1	0 82353-92030 3	33 Lb.		12.38	14.88	1.04
92120	120 lb. Keg	1	0 82353-92120 1	131 Lb.		14.75	27	2.67
92400	400 lb. Drum	1	0 82353-92400 4	435 Lb.		24	35	9.16

Super Lube® Silicone Lubricating Brake Grease with Syncolon®

97008	8 oz. Tube	12	0 82353-97008 7	8 Lb.	8	9.63	10.25	0.46
-------	------------	----	-----------------	-------	---	------	-------	------

O-Ring Silicone Grease - Food Grade - NSF Rated H1

Super Lube® O-Ring Silicone Grease

93003	3 oz. Tube	12	0 82353-93003 6	3 Lb.	4.5	5.63	7.38	0.11
93016	14.1 oz. (400 gram) Canister	12	0 82353-93016 6	13 Lb.	12.75	8.75	8.5	0.55
93030	30 lb. Pail	1	0 82353-93030 2	33 Lb.		12.38	14.88	1.04
93400	400 lb. Drum	1	0 82353-93400 3	435 Lb.		24	35	9.16

SYNTHETIC OILS

Multi-Use Synthetic Oil with Syncolon® - Food Grade - NSF Rated H1

Super Lube® Multi-Use Synthetic Oil with Syncolon® (ISO 100)

51010	7 ml. Precision Oiler (Blistered)	12	0 82353-51010 8	1 Lb.	4.25	4.5	8.88	0.10
51014	7 ml. Precision Oiler (Bulk)	400	0 82353-51014 6	12 Lb.	10.13	13.44	9.13	0.72
51004	4 oz. Bottle	6	0 82353-51004 7	2 Lb.	3.69	5.5	6.88	0.08
51008	8 oz. Bottle	12	0 82353-51008 5	7 Lb.	6.75	9	7.75	0.27
51025	1 Pint Bottle	12	0 82353-51025 2	13 Lb.	12.75	8.75	8.5	0.27
51030	1 Quart Bottle	12	0 82353-51030 6	25 Lb.	14	9.75	11.5	0.91
51040	1 Gallon Bottle	4	0 82353-51040 5	32 Lb.	14.5	9.75	10.9	0.89
51050	5 Gallon Pail	1	0 82353-51050 4	40 Lb.		12.38	14.88	1.04
51150	15 Gallon Keg	1	0 82353 51150 1	119 Lb.		14.25	25.25	2.33
51550	55 Gallon Drum	1	0 82353-51550 9	429 Lb.		23	35	8.41

Super Lube® Multi-Use Synthetic UV Oil with Syncolon® (ISO 100)

51014/UV	7 ml. Precision Oiler (Bulk)	400	0 82353-51714 5	12 Lb.	10.13	13.44	9.13	0.72
51004/UV	4 oz. Bottle	6	0 82353-51704 6	2 Lb.	3.69	5.5	6.88	0.08
51030/UV	1 Quart Bottle	12	0 82353-51730 5	25 Lb.	14	9.75	11.5	0.91
51040/UV	1 Gallon Bottle	4	0 82353-51740 4	32 Lb.	14.5	9.75	10.9	0.89
51050/UV	5 Gallon Pail	1	0 82353-51750 3	40 Lb.		12.38	14.88	1.04



KANO LABORATORIES LLC

E-COMMERCE PRICE LIST

Pricing effective on all orders placed for shipment after December 31, 2023
See Page 10 for Terms and Conditions

QMF Rev 9/12/20

Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

Multi-Use Synthetic Lightweight Oil - Food Grade - NSF Rated H1

Super Lube® Multi-Use Synthetic Lightweight Oil (ISO 10)

50104	4 oz. Bottle	6	0 82353-50104 5	2 Lb.	3.69	5.5	6.88	0.08
50108	8 oz. Bottle	12	0 82353-50108 3	7 Lb.	6.75	9	7.75	0.27
50120	1 Pint Bottle	12	0 82353-50120 5	13 Lb.	12.75	8.75	8.5	0.55
50130	1 Quart Bottle	12	0 82353-50130 4	24 Lb.	14	9.75	11.5	0.91
50140	1 Gallon Bottle	4	0 82353-50140 3	30 Lb.	14.5	9.75	10.9	0.89
50150	5 Gallon Pail	1	0 82353-50150 2	38 Lb.		12.38	14.88	1.04
50115	15 Gallon Keg	1	0 82353-50115 1	115 Lb.		14.25	25.25	2.33
50155	55 Gallon Drum	1	0 82353-50155 7	404 Lb.		23	35	8.41

Super Lube® Multi-Use Synthetic Lightweight Oil (ISO 22)

50204	4 oz. Bottle	6	0 82353-50204 2	2 Lb.	3.69	5.5	6.88	0.08
50208	8 oz. Bottle	12	0 82353-50208 0	7 Lb.	6.75	9	7.75	0.27
50220	1 Pint Bottle	12	0 82353-50220 2	13 Lb.	12.75	8.75	8.5	0.55
50230	1 Quart Bottle	12	0 82353-50230 1	24 Lb.	14	9.75	11.5	0.91
50240	1 Gallon Bottle	4	0 82353-50240 0	30 Lb.	14.5	9.75	10.9	0.89
50250	5 Gallon Pail	1	0 82353-50250 9	38 Lb.		12.38	14.88	1.04
50215	15 Gallon Keg	1	0 82353-50215 8	116 Lb.		14.25	25.25	2.33
50255	55 Gallon Drum	1	0 82353-50255 4	405 Lb.		23	35	8.41

Super Lube® Multi-Use Synthetic Lightweight Oil (ISO 32)

50308	4 oz. Bottle	6	0 82353-50304 9	2 Lb.	3.69	5.5	6.88	0.08
50308	8 oz. Bottle	12	0 82353-50308 7	7 Lb.	6.75	9	7.75	0.27
50320	1 Pint Bottle	12	0 82353-50320 9	13 Lb.	12.75	8.75	8.5	0.55
50330	1 Quart Bottle	12	0 82353-50330 8	24 Lb.	14	9.75	11.5	0.91
50340	1 Gallon Bottle	4	0 82353-50340 7	30 Lb.	14.5	9.75	10.9	0.89
50350	5 Gallon Pail	1	0 82353-50350 6	38 Lb.		12.38	14.88	1.04
50315	15 Gallon Keg	1	0 82353-50315 5	117 Lb.		14.25	25.25	2.33
50355	55 Gallon Drum	1	0 82353-50355 1	410 Lb.		23	35	8.41

Super Lube® Multi-Use Synthetic Lightweight Oil (ISO 46)

53004	4 oz. Bottle	6	0 82353-53004 5	2 Lb.	3.69	5.5	6.88	0.07
53008	8 oz. Bottle	12	0 82353-53008 3	7 Lb.	6.75	9	7.75	0.29
53020	1 Pint Bottle	12	0 82353-53020 5	13 Lb.	12.75	8.75	8.5	0.30
53030	1 Quart Bottle	12	0 82353-53030 4	25 Lb.	14	9.75	11.5	0.50
53040	1 Gallon Bottle	4	0 82353-53040 3	32 Lb.	14.5	9.75	10.9	0.47
53050	5 Gallon Pail	1	0 82353-53050 2	38 Lb.		12.38	14.88	1.04
53150	15 Gallon Keg	1	0 82353-53150 9	119 Lb.		14.25	25.25	2.33
53550	55 Gallon Drum	1	0 82353-53550 7	420 Lb.		23	35	8.41

Super Lube® Multi-Use Synthetic Lightweight Oil (ISO 68)

52004	4 oz. Bottle	6	0 82353-52004 6	2 Lb.	3.69	5.5	6.88	0.08
52008	8 oz. Bottle	12	0 82353-52008 4	7 Lb.	6.75	9	7.75	0.27
52020	1 Pint Bottle	12	0 82353-52020 6	13 Lb.	12.75	8.75	8.5	0.55
52030	1 Quart Bottle	12	0 82353-52030 5	24 Lb.	14	9.75	11.5	0.91
52040	1 Gallon Bottle	4	0 82353-52040 4	31 Lb.	14.5	9.75	10.9	0.89
52050	5 Gallon Pail	1	0 82353-52050 3	39 Lb.		12.38	14.88	1.04
52150	15 Gallon Keg	1	0 82353-52150 0	121 Lb.		14.25	25.25	2.33
52550	55 Gallon Drum	1	0 82353-52550 8	417 Lb.		23	35	8.41



KANO LABORATORIES LLC

E-COMMERCE PRICE LIST

Pricing effective on all orders placed for shipment after December 31, 2023

See Page 10 for Terms and Conditions

QMF Rev 9/12/20

Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

Synthetic EAL Oil

Super Lube® EAL Oil (ISO 68)

50801	1 Gallon Bottle	4	0 82353-50801 3	31 Lb.	14.5	9.75	10.9	0.89
50805	5 Gallon Pail	1	0 82353-50805 1	39 Lb.		12.38	14.88	1.04
50855	55 Gallon Drum	1	0 82353-50855 6	417 Lb.		23	35	8.41

Super Lube® EAL Oil (ISO 100)

50901	1 Gallon Bottle	4	0 82353-50901 0	32 Lb.	14.5	9.75	10.9	0.89
50905	5 Gallon Pail	1	0 82353-50905 8	40 Lb.		12.38	14.88	1.04
50955	55 Gallon Drum	1	0 82353-50955 3	429 Lb.		23	35	8.41

Synthetic Gear Oil - Food Grade - NSF Rated H1

Super Lube® Synthetic Gear Oil ISO 150

54100	1 Quart Bottle	12	0 82353-54100 3	25 Lb.	10.13	13.44	9.13	0.72
54101	1 Gallon Bottle	4	0 82353-54101 0	32 Lb.	14.5	9.75	10.9	0.89
54105	5 Gallon Pail	1	0 82353-54105 8	40 Lb.		12.38	14.88	1.04
54155	55 Gallon Drum	1	0 82353-54155 3	433 Lb.		23	35	8.41

Super Lube® Synthetic Gear Oil ISO 220

54200	1 Quart Bottle	12	0 82353-54200 0	25 Lb.	10.13	13.44	9.13	0.72
54201	1 Gallon Bottle	4	0 82353-54201 7	32 Lb.	14.5	9.75	10.9	0.89
54205	5 Gallon Pail	1	0 82353-54205 5	40 Lb.		12.38	14.88	1.04
54255	55 Gallon Drum	1	0 82353-54255 0	433 Lb.		23	35	8.41

Super Lube® Synthetic Gear Oil ISO 320

54300	1 Quart Bottle	12	0 82353-54300 7	25 Lb.	10.13	13.44	9.13	0.72
54301	1 Gallon Bottle	4	0 82353-54301 4	32 Lb.	14.5	9.75	10.9	0.89
54305	5 Gallon Pail	1	0 82353-54305 2	40 Lb.		12.38	14.88	1.04
54355	55 Gallon Drum	1	0 82353-54355 7	433 Lb.		23	35	8.41

Super Lube® Synthetic Gear Oil ISO 460

54432	1 Quart Bottle	12	0 82353-54432 5	25 Lb.	10.13	13.44	9.13	0.72
54401	1 Gallon Bottle	4	0 82353-54401 1	32 Lb.	14.5	9.75	10.9	0.89
54405	5 Gallon Pail	1	0 82353-54405 9	40 Lb.		12.38	14.88	1.04
54455	55 Gallon Drum	1	0 82353-54455 4	433 Lb.		23	35	8.41

Super Lube® Synthetic Gear Oil ISO 680

54632	1 Quart Bottle	12	0 82353-54632 9	25 Lb.	10.13	13.44	9.13	0.72
54601	1 Gallon Bottle	4	0 82353-54601 5	32 Lb.	14.5	9.75	10.9	0.89
54605	5 Gallon Pail	1	0 82353-54605 3	40 Lb.		12.38	14.88	1.04
54655	55 Gallon Drum	1	0 82353-54655 8	433 Lb.		23	35	8.41



KANO LABORATORIES LLC

E-COMMERCE PRICE LIST

Pricing effective on all orders placed for shipment after December 31, 2023

See Page 10 for Terms and Conditions

QMF Rev 9/12/20

Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

Air Tool Pneumatic Lubricant - Food Grade - NSF Rated H1

Super Lube® Air Tool Pneumatic Lubricant

12004	4 oz. Bottle	6	0 82353-12004 8	2 Lb.	3.69	5.5	6.88	0.08
12016	1 Pint Bottle	12	0 82353-12016 1	13 Lb.	12.75	8.75	8.5	0.55
12032	1 Quart Bottle	12	0 82353-12032 1	24 Lb.	14	9.75	11.5	0.91
12040	1 Gallon Bottle	4	0 82353-12040 6	31 Lb.	14.5	9.75	10.9	0.89
12050	5 Gallon Pail	1	0 82353-12050 5	38 Lb.		12.38	14.88	1.04
12155	55 Gallon Drum	1	0 82353-12155 7	417 Lb.		23	35	8.41

Low Temperature Synthetic Oil - Food Grade - NSF Rated H1

Super Lube® Low Temperature Synthetic Oil (< -50°F)

74050	5 Gallon Pail	1	0 82353-74050 5	38 Lb.		12.38	14.88	1.04
74055	55 Gallon Drum	1	0 82353-74055 0	408 Lb.		23	35	8.41

H3 Lightweight Oil - Food Grade - NSF Rated H3

Super Lube® H3 Lightweight Oil

60004	4 oz. Bottle	6	0 82353-60004 5	2 Lb.	3.69	5.5	6.88	0.08
60016	1 Pint Bottle	12	0 82353-60016 8	13 Lb.	12.75	8.75	8.5	0.55
60032	1 Quart Bottle	12	0 82353-60032 8	25 Lb.	14	9.75	11.5	0.91
60040	1 Gallon Bottle	4	0 82353-60040 3	32 Lb.	14.5	9.75	10.9	0.89
60050	5 Gallon Pail	1	0 82353-60050 2	39 Lb.		12.38	14.88	1.04
60550	55 Gallon Drum	1	0 82353-60550 7	433 Lb.		23	35	8.41

SILICONE OILS

Silicone Oil - Food Grade - NSF Rated H1

Super Lube® Silicone Oil 100 cSt

56104	4 oz. Bottle	6	0 82353-56104 9	2 Lb.	3.69	5.5	6.88	0.08
56101	1 Gallon Bottle	4	0 82353-56101 8	35 Lb.	14.5	9.75	10.9	0.89
56105	5 Gallon Pail	1	0 82353-56105 6	44 Lb.		12.38	14.88	1.04
56155	55 Gallon Drum	1	0 82353-56155 1	481 Lb.		23	35	8.41

Super Lube® Silicone Oil 350 cSt

56304	4 oz. Bottle	6	0 82353-56304 3	2 Lb.	3.69	5.5	6.88	0.08
56301	1 Gallon Bottle	4	0 82353-56301 2	35 Lb.	14.5	9.75	10.9	0.89
56305	5 Gallon Pail	1	0 82353-56305 0	44 Lb.		12.38	14.88	1.04
56355	55 Gallon Drum	1	0 82353-56355 5	481 Lb.		23	35	8.41

Super Lube® Silicone Oil 1000 cSt

56404	4 oz. Bottle	6	0 82353-56404 0	2 Lb.	3.69	5.5	6.88	0.08
56401	1 Gallon Bottle	4	0 82353-56401 9	35 Lb.	14.5	9.75	10.9	0.89
56405	5 Gallon Pail	1	0 82353-56405 7	44 Lb.		12.38	14.88	1.04
56455	55 Gallon Drum	1	0 82353-56455 2	481 Lb.		23	35	8.41



KANO LABORATORIES LLC

E-COMMERCE PRICE LIST

Pricing effective on all orders placed for shipment after December 31, 2023

See Page 10 for Terms and Conditions

QMF Rev 9/12/20

Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

Super Lube® Silicone Oil 5000 cSt

56504	4 oz. Bottle	6	0 82353-56504 7	2 Lb.	3.69	5.5	6.88	0.08
56501	1 Gallon Bottle	4	0 82353-56501 6	35 Lb.	14.5	9.75	10.9	0.89
56505	5 Gallon Pail	1	0 82353-56505 4	45 Lb.		12.38	14.88	1.04
56555	55 Gallon Drum	1	0 82353-56555 9	481 Lb.		23	35	8.41

O-Ring Silicone Lubricant - Food Grade - NSF Rated H1

Super Lube® O-Ring Silicone Lubricant

56204	4 oz Bottle	6	0 82353-56204 6	2 Lb.	3.69	5.5	6.88	0.08
56205	5 Gallon Pail	1	0 82353-56205 3	45 Lb.		12.38	14.88	1.04
56255	55 Gallon Drum	1	0 82353-56255 8	481 Lb.		23	35	8.41

PENETRANTS

Syncopen® Synthetic Penetrant - Food Grade - NSF Rated H1

Super Lube® Syncopen® Synthetic Penetrant

85004	4 oz. Mist Spray Bottle	6	0 82353-85004 4	2 Lb.	3.69	5.5	6.88	0.07
85010	1 Gallon Bottle	4	0 82353-85010 5	31 Lb.	14.5	9.75	10.9	0.89
85050	5 Gallon Pail	1	0 82353-85050 1	36 Lb.		12.38	14.88	1.04
85055	55 Gallon Drum	1	0 82353-85055 6	393 Lb.		23	35	8.41

AEROSOLS/NON-AEROSOL SPRAYS

Aerosols - Food Grade - NSF Rated H1

Super Lube® Multi-Purpose Synthetic Lubricant with Syncolon®

31040	6 oz. Multi-Purpose with Syncolon®	12	0 82353-31040 1	7 Lb.	6.63	8.63	7.13	0.24
31110	11 oz. Multi-Purpose with Syncolon®	12	0 82353-31110 1	12 Lb.	8.25	10.88	8.38	0.44

Super Lube® Dri-Film Lubricant with Syncolon®

11006	5.25 oz. Dri-Film with Syncolon®	12	0 82353-11006 3	7 Lb.	6.63	8.63	7.13	0.24
11016	11 oz. Dri-Film with Syncolon®	12	0 82353-11016 2	12 Lb.	8.25	10.88	8.38	0.44

Super Lube® Silicone Lubricant

91110	11 oz. Silicone	12	0 82353-91110 3	13 Lb.	8.25	10.88	8.38	0.44
-------	-----------------	----	-----------------	--------	------	-------	------	------

Super Lube® Syncopen® Synthetic Penetrant

85011	11 oz. Syncopen® Penetrant	12	0 82353-85011 2	12 Lb.	8.25	10.88	8.38	0.44
-------	----------------------------	----	-----------------	--------	------	-------	------	------

Super Lube® Metal Protectant and Corrosion Inhibitor

83110	11 oz. Metal Protectant/Corrosion Inhibitor	12	0 82353-83110 4	12 Lb.	8.25	10.88	8.38	0.44
-------	---	----	-----------------	--------	------	-------	------	------

Non-Aerosol Sprays - Food Grade - NSF Rated H1

Super Lube® Multi-Use Synthetic Oil with Syncolon®

51600	1 Quart Trigger Sprayer	12	0 82353-51600 1	26 Lb.	14	9.75	11.5	0.91
-------	-------------------------	----	-----------------	--------	----	------	------	------

Super Lube® Silicone Lubricant

56132	1 Quart Trigger Sprayer	12	0 82353-56132 2	26 Lb.	14	9.75	11.5	0.91
-------	-------------------------	----	-----------------	--------	----	------	------	------



KANO LABORATORIES LLC

E-COMMERCE PRICE LIST

Pricing effective on all orders placed for shipment after December 31, 2023

See Page 10 for Terms and Conditions

QMF Rev 9/12/20

Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

Super Lube® Syncopen® Synthetic Penetrant

85032	1 Quart Trigger Sprayer	12	0 82353-85032 7	24 Lb.	14	9.75	11.5	0.91
-------	-------------------------	----	-----------------	--------	----	------	------	------

Super Lube® Metal Protectant and Corrosion Inhibitor

83032	1 Quart Trigger Sprayer	12	0 82353-83032 9	24 Lb.	14	9.75	11.5	0.91
-------	-------------------------	----	-----------------	--------	----	------	------	------

SPECIALTY PRODUCTS

Food Grade Anti-Seize with Syncolon® - Food Grade - NSF Rated H1

Super Lube® Food Grade Anti-Seize Lubricant with Syncolon®

48008	8 oz. Brush Bottle	6	0 82353-48008 1	4.5 Lb.	8	7	7	0.23
48160	14.1 oz. (400 gram) Canister	12	0 82353-48160 6	13 Lb.	12.75	8.75	8.5	0.55

Metal Protectant and Corrosion Inhibitor - Food Grade - NSF Rated H1

Super Lube® Metal Protectant and Corrosion Inhibitor

83050	5 Gallon Pail	1	0 82353-83050 3	36 Lb.		12.38	14.88	1.04
-------	---------------	---	-----------------	--------	--	-------	-------	------

Engine Treatment with Syncolon®

Super Lube® Engine Treatment with Syncolon®

20040	4 oz. Booster	6	0 82353-20040 5	2 Lb.	3.69	5.5	6.88	0.08
20320	1 Quart Bottle	12	0 82353-20320 8	25 Lb.	10.13	13.44	9.13	0.72

Engine Assembly Grease

Super Lube® Engine Assembly Grease

19003	3 oz. Tube	12	0 82353-19003 4	3 Lb.	4.5	5.63	7.38	0.11
19008	8 oz. Brush Bottle	6	0 82353-19008 9	4 Lb.	6.88	7.25	6.75	0.19

Heat Sink Thermally Conductive Compound

Super Lube® Heat Sink Thermally Conductive Compound

98003	3 oz. Tube	12	0 82353-98003 1	3 Lb.	4.5	5.63	7.38	0.11
98050	5 lb. Pail	4	0 82353-98050 5	25 Lb.	15.88	15.88	8.38	1.22
98030	30 lb. Pail	1	0 82353-98030 7	33 Lb.		12.38	14.88	1.04

Anti-Corrosion and Connector Gel

Super Lube® Anti-Corrosion & Connector Gel

82003	3 oz. Tube	12	0 82353-82003 0	3 Lb.	4.5	5.63	7.38	0.11
82016	14.1 oz. (400 gram) Canister	12	0 82353-82016 0	13 Lb.	12.75	8.75	8.5	0.55
82030	30 lb. Pail	1	0 82353-82030 6	33 Lb.		12.38	14.88	1.04
82120	120 lb. Keg	1	0 82353-82120 4	131 Lb.		14.75	27	2.67

Fire Resistant Hydraulic Fluid

Super Lube® Fire Resistant Hydraulic Fluid

86010	1 Gallon Bottle	4	0 82353-86010 4	39 Lb.	14.5	9.75	10.9	0.86
86050	5 Gallon Pail	1	0 82353-86050 0	49 Lb.		12.38	14.88	1.04
86055	55 Gallon Drum	1	0 82353-86055 5	528 Lb.		23	35	8.41



KANO LABORATORIES LLC

E-COMMERCE PRICE LIST

Pricing effective on all orders placed for shipment after December 31, 2023
See Page 10 for Terms and Conditions

QMF Rev 9/12/20

Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

SuperPull Electrical / Fiber Optic Pulling Compound

Super Lube® SuperPull Electrical / Fiber Optic Pulling Compound

80320	1 Quart Bottle	12	0 82353-80320 0	28 Lb.	14	9.75	11.5	0.91
80010	1 Gallon Bottle	4	0 82353-80010 0	36 Lb.	14.5	9.75	10.9	0.89
80050	5 Gallon Pail	1	0 82353-80050 6	45 Lb.		12.38	14.88	1.04

Grommet Lube

Super Lube® Grommet Lube

81050	5 Gallon Pail	1	0 82353-81050 5	44 Lb.		12.38	14.88	1.04
81055	55 Gallon Drum	1	0 82353-81055 0	484 Lb.		23	35	8.41

BICYCLE LUBRICANTS

Wet Lube Bike Lubricant

Super Lube® Wet Lube Bike Lubricant

55204	4 oz Bottle	6	0 82353-55204 7	2 Lb.	3.69	5.5	6.88	0.08
-------	-------------	---	-----------------	-------	------	-----	------	------

Dri Lube Bike Lubricant with Syncolon®

Super Lube® Dri Lube Bike Lubricant with Syncolon®

55904	4 oz Bottle	6	0 82353-55904 6	2 Lb.	3.69	5.5	6.88	0.08
-------	-------------	---	-----------------	-------	------	-----	------	------

FOOD GRADE CLEANER

Cleaner/Degreaser - Food Grade - NSF Rated A1

Super Lube® Super Kleen

10004	4 oz. Mist Spray Bottle	6	0 82353-10004 0	2 Lb.	3.69	5.5	6.88	0.08
10032	1 Quart Trigger Sprayer	12	0 82353-10032 3	29 Lb.	14	9.75	11.5	0.91
10001	1 Gallon Bottle	4	0 82353-10001 9	35 Lb.	14.5	9.75	10.9	0.89
10005	5 Gallon Pail	1	0 82353-10005 7	46 Lb.		12.38	14.88	1.04
10060	55 Gallon Drum	1	0 82353-10060 6	498 Lb.		23	35	8.41

DISPLAYS AND ACCESSORIES

Super Lube® Displays

11367	Counter Display - Cartridges (12 Pcs.)	1	0 82353-11367 5	13 Lb.	8	9.63	10.25	0.46
11362	Counter Display (36 Pcs.)	1	0 82353-11362 0	27 Lb.	18.12	18	15.04	2.84
11365	Combo Display (60 Pcs.)	1	0 82353-11365 1	47 Lb.	18.12	18	15.04	2.84
11520	Sportsman's Kit	12	0 82353-11520 4	2 Lb.	4.5	5.63	7.38	0.11
21013	1/2 oz. Tube Counter Box (40 Pcs.)	1	0 82353-21013 8	2 Lb.	2.75	5.63	7.13	0.06
21015	1/2 oz. Tube Clip Strip (12 Pcs.)	1	0 82353-21015 2	2 Lb.	31.25	3.25	4.875	0.29
51013	7 ml. Oiler Counter Box (48 Pcs.)	1	0 82353-51013 9	2 Lb.	2.75	5.63	7.13	0.06
51015	7 ml. Oiler Clip Strip (12 Pcs.)	1	0 82353-51015 3	2 Lb.	31.25	3.25	4.875	0.29



KANO LABORATORIES LLC

E-COMMERCE PRICE LIST

Pricing effective on all orders placed for shipment after December 31, 2023

See Page 10 for Terms and Conditions

QMF Rev 9/12/20

Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

Super Lube® Accessories

11362E	Counter Display (Tray & Header Only)	1	0 82353-11996 7	2 Lb.	3.75	18.13	18.13	0.71
10201	Applicator Tip for 3 oz. Tube	60	0 82353-10201 3	1 Lb.	3.69	5.5	6.88	0.08

TERMS AND CONDITIONS:

1. Minimum order size: \$7,000.00 per order.
2. Freight prepaid in the 48 contiguous States for all orders exceeding \$7,000.00. FOB Bohemia, New York.
3. Orders for broken case quantities will be increased to full case quantities.
4. All keg and drum products will incur an additional steel packaging surcharge.
5. Payment terms are net 30 days from invoice date, based on prior credit approval. This excludes International orders.
Past due accounts incur a 1.5% per month late fee without exceptions.
6. Terms and prices are subject to change at any time and without prior written notice.
7. Returns are accepted for defects in material or workmanship within the warranty period of 24 months from date of manufacture.
8. All returns with retail value exceeding \$20.00 require authorization. Our receiving department will not accept returns without prior authorization. Returns are subject to factory inspection, and if not returned as defective, must be shipped freight prepaid and must be in resalable condition. We reserve the right to levy a restocking charge.

KANO LABORATORIES LLC
 SUPER LUBE®
 P.O. Box 405
 BOHEMIA, NY 11716-0405
 (631) 567-5300 - Main office
 (631) 567-5359 - Fax
 (800) 253-5823
 www.super-lube.com
 www.kanolabs.com



Proudly Made in the U.S.A
 with USA | globally sourced materials

